



centro ricerche-sviluppo e laboratori prove
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.
Iscr. Reg. Imprese Udine
nr. iscr. C.F. 01818850305
Reg. Impr. UD 20663
P. IVA: 01818850305
C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3
33048 S. Giovanni al Nat. UD
Tel. 0432.747211 r.a.
Fax 0432.747250
<http://www.catas.com>
e-mail: lab@catas.com

Filiale:
Via Braille, 5
20851 Lissone MB
Tel. 039.464567
Fax 039.464565
e-mail: lissone@catas.com


Declaration of conformity

n° 11213 / 2014

According to the results of the following tests:

EN 16139 test report n. 176284- 1/2014
EN 16139 test report n. 176284- 2/2014
EN 1728 test report n. 176284- 3/2014
EN 1728 test report n. 176284- 4/2014
EN 1728 test report n. 176284- 5/2014
EN 1728 test report n. 176284- 6/2014
EN 1728 test report n. 176284- 7/2014
EN 1728 test report n. 176284- 8/2014
EN 1728 test report n. 176284- 9/2014
EN 1728 test report n. 176284-10/2014
EN 1728 test report n. 176284-11/2014
EN 1728 test report n. 176284-12/2014
EN 1728 test report n. 176284-13/2014
EN 1728 test report n. 176284-14/2014
EN 1022 test report n. 176284-15/2014

we hereby testify that



VESPER 2 ARMCHAIR

of company

CERANTOLA S.P.A. - VIA GIORGIONE 2-ZONA IND.LE - 31037 RAMON DI LORIA (TV)

complies with the strenght, durability and safety requirements
of 1st level of EN 16139:2013

*This document is validated by digital signature and time stamping in accordance
with the Italian laws and the European Directives which regulate the electronic
signature systems.*

Il Direttore
Ugo Andrea Giavon

May 28th, 2014

Sample name is declared by the company who asked for the test. This report relates to the samples submitted for the test and no others. Additions, deletions or alterations are not permitted.

Date received: 06/05/14

Date of issue: 28/05/14

Report consists of 15 test reports.

Defects before testing: None

Sample name: VESPER 2 ARMCHAIR


CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

SAMPLE N° 176284

Overall dimensions: 480 x 560 x 820 (h) mm

List performed tests:

1. Safety requirements EN 16139:2013
2. Information for use EN 16139:2013
3. Seat and back static load test EN 1728:2012
4. Vertical load on back rest EN 1728:2012
5. Arm sideways static load test EN 1728:2012
6. Arm downwards static load test EN 1728:2012
7. Seat and back fatigue test EN 1728:2012
8. Seat front edge durability test EN 1728:2012
9. Arm fatigue test EN 1728:2012
10. Leg forward static load test EN 1728:2012
11. Leg sideways static load test EN 1728:2012
12. Seat impact test EN 1728:2012
13. Back impact test EN 1728:2012
14. Arm rest impact test EN 1728:2012
15. Stability - EN 1022:2005




This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon


The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

SAMPLE N° 176284


Date of issue: 28/05/14
Sample weight: Not determined
Sample name: VESPER 2 ARMCHAIR



Side view



Rear view



Bottom view

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo e laboratori prove
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.
Iscr. Reg. Imprese Udine
nr. iscr. C.F. 01818850305
Reg. Impr. UD 20663
P.IVA : 01818850305
C.Soc. € 1.003.650,00 i.v.


Sede: Via Antica, 24/3
33048 S. Giovanni al Nat. UD
Tel. 0432.747211 r.a.
Fax 0432.747250
http://www.catas.com
e-mail: lab@catas.com

Filiale:
Via Braille, 5
20851 Lissone MB
Tel. 039.464567
Fax 039.464565
e-mail: lissone@catas.com

TEST REPORT

176284 / 1

Date received: 06/05/14
Date of test: 12/05/14
Date of issue: 28/05/14



Sample name: VESPER 2 ARMCHAIR

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Safety requirements EN 16139:2013

Safety requirements clause 4

Statement checked	Remarks
Corner and edges in contact with the users: • Absence of sharp edges and corners	Yes
Edges on the handles: • Absence of sharp edges and corners in the direction of the force	Handles not present
Other edges: • Absence of corners	Yes
Accessible hollow components: • The ends of hollow components are closed or capped	Yes
Movable and adjustable parts: • It shall not possible for any movable and adjustable part of the chair to come operate unintentionally.	Movable and adjustable parts not present
Connections between parts of the structure: • It shall not possible for any load bearing part of the seating to come loose unintentionally	No
Parts wich are lubricated: • All the parts wich are lubricated shall be designed to protect users	Lubricated parts not present
Shear and squeeze points between movable parts $\geq 7 \text{ mm} \leq 18 \text{ mm}$: • Shear and squeeze points under influence of powered mechanism • Shear and squeeze points during normal use and during normal movements and actions	Mechanism not present No
Conformity to clauses 4.1 and 4.2 of standard EN 16139:2013:	YES

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Glavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT


176284 / 2

Date received: 06/05/14

Date of test: 22/05/14

Date of issue: 28/05/14

Sample name: VESPER 2 ARMCHAIR



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Information for use EN 16139:2013

Information for use clause 7

Statement checked	Remarks
Information for use in the language of the country in which the chair will be delivered to the end user	Italian language
Information regarding the intended use (Annex B of EN 16139:2013)	Present
Instruction for operating the adjusting mechanisms, where applicable	Not applicable
Assembly instructions, where applicable	Not applicable
Instruction for the care and the maintenance of the chair	Present
Information on the choice of castors in relation to the floor surface if the chair is fitted	Castors not present
Advice that only trained personnel may replace or repair seat height adjustment components with energy accumulators if the chair is fitted	Seat height adjustment not present

Conformity to clause 7 of standard EN 16139:2013:

YES

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT


176284 / 3

Date received: 06/05/14

Date of test: 12/05/14

Date of issue: 28/05/14

Sample name: VESPER 2 ARMCHAIR



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Seat and back static load test EN 1728:2012

Seat and back static load test, clause 6.4

Test results:

Seat load N	Back force N	Number of cycles	Remarks
1.600	540	10	No defects

Note:

According to EN 1728:2012, back force has been reduced from 560 N to 540 N to avoid tipping.

Seat front edge static load, clause 6.5

Seat load N	Number of cycles	Remarks
1.300	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Glavón

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT


176284 / 4

Date received: 06/05/14

Date of test: 12/05/14

Date of issue: 28/05/14

Sample name: VESPER 2 ARMCHAIR



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Vertical load on back rest EN 1728:2012

Vertical static load on back rest clause 6.6

Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.300	600	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo e laboratori prove
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.
Iscr. Reg. Imprese Udine
nr. iscr. C.F. 01818850305
Reg. Impr. UD 20663
P. IVA : 01818850305
C.Soc. € 1.003.650,00 i.v.


Sede: Via Antica, 24/3
33048 S. Giovanni al Nat. UD
Tel. 0432.747211 r.a.
Fax 0432.747250
<http://www.catas.com>
e-mail: lab@catas.com

Filiale:
Via Braille, 5
20851 Lissone MB
Tel. 039.464567
Fax 039.464565
e-mail: lissone@catas.com

TEST REPORT

176284 / 5

Date received: 06/05/14
Date of test: 12/05/14
Date of issue: 28/05/14



Sample name: VESPER 2 ARMCHAIR

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Arm sideways static load test EN 1728:2012

Arm sideways static load test clause 6.10

Test results:

Horizontal force N	Number of applications	Remarks
400	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.


Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

176284 / 6

Date received: 06/05/14
Date of test: 12/05/14
Date of issue: 28/05/14



Sample name: VESPER 2 ARMCHAIR

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Arm downwards static load test EN1728:2012

Arm downwards static load test clause 6.11

Test results:

Vertical force N	Number of applications	Remarks
750	5	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giayon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo e laboratori prove
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.
Iscr. Reg. Imprese Udine
nr. iscr. C.F. 01818850305
Reg. Impr. UD 20663
P. IVA : 01818850305
C.Soc. € 1.003.650,00 i.v.


Sede: Via Antica, 24/3
33048 S. Giovanni al Nat. UD
Tel. 0432.747211 r.a.
Fax 0432.747250
<http://www.catas.com>
e-mail: lab@catas.com

Filiale:
Via Braille, 5
20851 Lissone MB
Tel. 039.464567
Fax 039.464565
e-mail: lissone@catas.com

TEST REPORT

176284 / 7

Date received: 06/05/14
Date of test: 12/05/14
Date of issue: 28/05/14



Sample name: VESPER 2 ARMCHAIR

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Seat and back fatigue test EN 1728:2012

Seat and back fatigue test, clause 6.17

Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	300	100.000	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Cravon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo e laboratori prove
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.
Iscr. Reg. Imprese Udine
nr. iscr. C.F. 01818850305
Reg. Impr. UD 20663
P. IVA : 01818850305
C.Soc. € 1.003.650,00 i.v.


Sede: Via Antica, 24/3
33048 S. Giovanni al Nat. UD
Tel. 0432.747211 r.a.
Fax 0432.747250
<http://www.catas.com>
e-mail: lab@catas.com

Filiale:
Via Braille, 5
20851 Lissone MB
Tel. 039.464567
Fax 039.464565
e-mail: lissone@catas.com

TEST REPORT

176284 / 8

Date received: 06/05/14
Date of test: 19/05/14
Date of issue: 28/05/14



Sample name: VESPER 2 ARMCHAIR

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Seat front edge durability test EN 1728:2012

Seat front edge durability test clause 6.18

Test results:

Points of application	Seat force N	Number of cycles	Remarks
100 mm back from the front edge	800	50.000	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.


Managing Director
Dr. Andrea Gfävon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

176284 / 9

Date received: 06/05/14
Date of test: 22/05/14
Date of issue: 28/05/14



Sample name: VESPER 2 ARMCHAIR

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Arm fatigue test EN 1728:2012

Arm fatigue test clause 6.20

Test results:

Force on arm rest N	Number of cycles	Remarks
400	30.000	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.


Managing Director
Dr. Andrea Clevon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

176284 / 10

Date received: 06/05/14
Date of test: 26/05/14
Date of issue: 28/05/14



Sample name: VESPER 2 ARMCHAIR

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Leg forward static load test EN 1728:2012

Leg forward static load test clause 6.15

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
500	1.000	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo e laboratori prove
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.
Iscr. Reg. Imprese Udine
nr. iscr. C.F. 01818850305
Reg. Impr. UD 20663
P. IVA : 01818850305
C.Soc. € 1.003.650,00 i.v.


Sede: Via Antica, 24/3
33048 S. Giovanni al Nat. UD
Tel. 0432.747211 r.a.
Fax 0432.747250
<http://www.catas.com>
e-mail: lab@catas.com

Filiale:
Via Braille, 5
20851 Lissone MB
Tel. 039.464567
Fax 039.464565
e-mail: lissone@catas.com

TEST REPORT

176284 / 11

Date received: 06/05/14
Date of test: 26/05/14
Date of issue: 28/05/14



Sample name: VESPER 2 ARMCHAIR

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Leg sideways static load test EN 1728:2012

Leg sideways static load test clause 6.16

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo e laboratori prove
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.
Iscr. Reg. Imprese Udine
nr. iscr. C.F. 01818850305
Reg. Impr. UD 20663
P. IVA : 01818850305
C.Soc. € 1.003.650,00 i.v.


Sede: Via Antica, 24/3
33048 S. Giovanni al Nat. UD
Tel. 0432.747211 r.a.
Fax 0432.747250
<http://www.catas.com>
e-mail: lab@catas.com

Filiale:
Via Braille, 5
20851 Lissone MB
Tel. 039.464567
Fax 039.464565
e-mail: lissone@catas.com

TEST REPORT

176284 / 12

Date received: 06/05/14
Date of test: 26/05/14
Date of issue: 28/05/14



Sample name: VESPER 2 ARMCHAIR

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Seat impact test EN 1728:2012

Seat impact test clause 6.24

Test results:

Mass of impactor kg	Height of drop mm	Number of drops	Remarks
25	240	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.


Managing Director
Dr. Andrea Ciavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

176284 / 13

Date received: 06/05/14
Date of test: 26/05/14
Date of issue: 28/05/14



Sample name: VESPER 2 ARMCHAIR

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Back impact test EN 1728:2012

Back impact test clause 6.25

Test results:

Angle °	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.


Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

176284 / 14

Date received: 06/05/14
Date of test: 26/05/14
Date of issue: 28/05/14



Sample name: VESPER 2 ARMCHAIR

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Arm rest impact test EN 1728:2012

Arm rest impact test clause 6.26

Test results:

Angle	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Grava

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo e laboratori prove
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.
Iscr. Reg. Imprese Udine
nr. iscr. C.F. 01818850305
Reg. Impr. UD 20663
P. IVA : 01818850305
C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3
33048 S. Giovanni al Nat. UD
Tel. 0432.747211 r.a.
Fax 0432.747250
http://www.catas.com
e-mail: labi@catas.com


Filiale:
Via Braille, 5
20851 Lissone MB
Tel. 039.464567
Fax 039.464565
e-mail: lissone@catas.com

TEST REPORT

176284 / 15

Date received: 06/05/14
Date of test: 26/05/14
Date of issue: 28/05/14

Sample name: VESPER 2 ARMCHAIR



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Stability - EN 1022:2005

Type of chair: fixed geometry

Minimum horizontal force for rearwards overturning of fixed back chair: 161 N

Forwards overturning

Horizontal force : 20 N does not overturn

Rearwards overturning

Fixed back chair

Horizontal force : 161 N does not overturn

Tilting chair in the rearmost position

Loading discs on the seat : /

Sideways overturning for chairs with arms

Horizontal force : 20 N does not overturn

Sideways overturning for chairs without arms

Horizontal force : /

Forwards overturning for chairs with footrest


Horizontal force : /

Test passed

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



31037 RAMON DI LORIA (TV) ITALY - Via Giorgione, 2 (z.i.)
Tel: +39.0423.755013 - Fax: +39.0423.755152 - R.E.A. TV 190527
Reg. Imp. TV n. 02143740260 - C. Id. IVA CEE n. IT 02143740260
Cap. Soc. € 120.000,00 i.v. - E-mail: info@cerantola.com
Web site: www.cerantola.com

ISTRUZIONI D'USO SEDIA VESPER CON E SENZA BRACCIOLI

Al fine di garantire la stabilità e la durata nel tempo dell'articolo, si consiglia di:

- Prima dell'uso assicurarsi che l'articolo sia assemblato correttamente.
- Non rimuovere alcun componente della sedia manualmente o tramite l'utilizzo di utensili.
- Verificare che il prodotto venga utilizzato con la base della struttura metallica appoggiata al pavimento e che lo stesso non consenta scivolamento.
- Non fare oscillare il prodotto durante l'utilizzo.
- Non sedersi sulla spalliera o sui braccioli.
- Non salire con i piedi e/o con le ginocchia sulla sedia
- Per spostare l'articolo, evitare il trascinamento.
- Evitare il contatto con fonti di calore.
- Il prodotto non è adatto ad uso esterno, anche se coperto, con struttura cromata.
- Si possono impilare 6 sedie.
- Le sedie vanno movimentate dallo schienale o dai braccioli.
-


CONSIGLI DI MANUTENZIONE

- I liquidi rovesciati devono essere assorbiti immediatamente con un panno pulito ed asciutto.
- Per le parti in plastica utilizzare sapone neutro.
- Per le parti in metallo non usare detergenti ma solo acqua.
- EVITARE TASSATIVAMENTE l'uso di solventi o di detergenti chimici, poiché potrebbero alterare le caratteristiche estetiche e fisiche dell'articolo.

USO PREVISTO

- Seduta per casa / ufficio
- Seduta per sale attesa
- Seduta per comunità/scuole
- Seduta per ristorazione

CERANTOLA SPA



31037 RAMON DI LORIA (TV) ITALY - Via Giorgione, 2 (z.i.)
Tel: +39.0423.755013 - Fax: +39.0423.755152 - R.E.A. TV 190527
Reg. Imp. TV n. 02143740260 - C.Id. IVA CEE n. IT 02143740260
Cap. Soc. € 120.000,00 i.v. - E-mail: info@cerantola.com
Web site: www.cerantola.com

USE INSTRUCTIONS OF VESPER CHAIR WITH AND WITHOUT ARMS

In order to guarantee the product's stability and duration, we recommend to:

- Before using make sure of the product's correct assembly;
- Do not remove any chair's component manually or using utensils;
- Verify that the base of the metallic structure is completely leant on the floor and the floor does not allow any sliding of the chair;
- Do not swing the chair during the same;
- Do not sit on the backrest or arms;
- Do not stand on your feet and/or knees on the chair;
- Do not drag the chair, while moving it;
- Avoid the contact with heat sources;
- The product is not suitable for outdoor use, even if it's covered, with chrome structure;
- Stackable till 6 chairs;
- Chairs must be moved from the backrest or the arms.

MAINTENANCE ADVICE

- Spilled liquids must be immediately absorbed with a clean and dry cloth;
- For plastic parts use mild soap;
- Do not use chemical detergents for metallic parts, but just water
- AVOID MANDATORY the use of chemical solvents or detergents because they might alter the aesthetic and physic characteristic of the product.

EXPECTED USE

- Home / Office
- Waiting rooms
- Hospitality rooms / Schools
- Restaurants / Bars

Cerantola Spa