

Declaration of conformity

n° 13197 / 2022

According to the results of the following tests:

EN 16139 test report n. 335330- 1/2022
EN 16139 test report n. 335330- 2/2022
EN 1728 test report n. 335330- 3/2022
EN 1728 test report n. 335330- 4/2022
EN 1728 test report n. 335330- 5/2022
EN 1728 test report n. 335330- 6/2022
EN 1728 test report n. 335330- 7/2022
EN 1728 test report n. 335330- 8/2022
EN 1728 test report n. 335330- 9/2022
EN 1728 test report n. 335330-10/2022
EN 1728 test report n. 335330-11/2022
EN 1728 test report n. 335330-12/2022
EN 1728 test report n. 335330-13/2022
EN 1022 test report n. 335330-14/2022

we hereby testify that



VERSPER ARMCHAIR - SWIVEL BASE
of company

CERANTOLA S.P.A. - VIA GIORGIONE 2-ZONA IND.LE - 31037 RAMON DI LORIA (TV)ITALIA

**complies with the strength, durability and safety requirements
of 1st level of EN 16139:2013+AC2013**

This document is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli


September 29th, 2022

Report ID: 335330
Date of sample receipt: 12/09/22
Date of issue: 29/09/22

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

SAMPLE N° 335330


Overall dimensions: 690 x 690 x 910(h) mm

List of test reports:

1. Safety requirements EN 16139:2013+AC:2013
2. Information for use EN 16139:2013+AC:2013
3. Seat and back static load test EN 1728:2012+AC:2013
4. Vertical load on back rest EN 1728:2012+AC:2013
5. Arm downwards static load test EN1728:2012+AC:2013
6. Arm sideways static load test EN 1728:2012+AC:2013
7. Seat and back fatigue test EN 1728:2012+AC:2013
8. Seat front edge durability test EN 1728:2012+AC:2013
9. Arm fatigue test EN 1728:2012+AC:2013
10. Seat impact test EN 1728:2012+AC:2013
11. Back impact test EN 1728:2012+AC:2013
12. Arm rest impact test EN 1728:2012+AC:2013
13. Rolling resistance of unloaded chair EN 1335-3:2009 AC:2009, clause 7.4
14. Stability EN 1022:2018, clause 7.3



This document is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli


The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

SAMPLE N° 335330

Date of issue: 29/09/22
Sample weight: Not determined
Sample name: VERSPER ARMCHAIR - SWIVEL BASE



Side view



Rear view



Bottom view

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

335330 / 1

Revision: 0
Date of sample receipt: 12/09/22
Date of test: 13/09/22
Date of issue: 29/09/22



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

Safety requirements EN 16139:2013+AC:2013

Safety requirements clause 4

Statement checked	Remarks
Corner and edges in contact with the users: • Absence of sharp edges and corners	Yes
Edges on the handles: • Absence of sharp edges and corners in the direction of the force	Handles not present
Other edges: • Absence of sharp edges and corners	Yes
Accessible hollow components: • The ends of hollow components are closed or capped	Yes
Movable and adjustable parts: • It shall not be possible for any movable and adjustable part of the chair to come operate unintentionally.	Movable and adjustable parts not present
Connections between parts of the structure: • It shall not be possible for any load bearing part of the seating to come loose unintentionally	No
Parts which are lubricated: • All the parts which are lubricated shall be designed to protect users	Lubricated parts not present
Shear and squeeze points between movable parts $\geq 8 \text{ mm} \leq 25 \text{ mm}$: • Shear and squeeze points under influence of powered mechanism • Shear and squeeze points during normal use and during normal movements and actions	Mechanism not present No

Conformity to clauses 4.1 and 4.2 of standard EN 16139:2013+AC:2013: **YES**

This test report is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

335330 / 2

Revision: 0
Date of sample receipt: 12/09/22
Date of test: 29/09/22
Date of issue: 29/09/22



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

Information for use EN 16139:2013+AC:2013

Information for use clause 7

Statement checked	Remarks
Information for use in the language of the country in which the chair will be delivered to the end user	Italian and English language
Information regarding the intended use (Annex B of EN 16139:2013+AC:2013)	Present
Instruction for operating the adjusting mechanisms, where applicable	Not applicable
Assembly instructions, where applicable	Not applicable
Instruction for the care and the maintenance of the chair	Present
Information on the choice of castors in relation to the floor surface if the chair is fitted	Present
Advice that only trained personnel may replace or repair seat height adjustment components with energy accumulators if the chair is fitted	Present

Conformity to clause 7 of standard EN 16139:2013+AC:2013:	YES
---	------------

This test report is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

335330 / 3

Revision: 0
Date of sample receipt: 12/09/22
Date of test: 13/09/22
Date of issue: 29/09/22



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

Seat and back static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat and back static load test, clause 6.4, EN 1728:2012+AC:2013

Test results:

Seat load N	Back force N	Number of cycles	Remarks
1.600	560	10	No defects

Seat front edge static load, clause 6.5, EN 1728:2012+AC:2013

Seat load N	Number of cycles	Remarks
1.300	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

335330 / 4

Revision: 0
Date of sample receipt: 12/09/22
Date of test: 13/09/22
Date of issue: 29/09/22



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

Vertical load on back rest EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Vertical static load on back rest clause 6.6, EN 1728:2012+AC:2013

Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.300	600	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

335330 / 5

Revision: 0
Date of sample receipt: 12/09/22
Date of test: 13/09/22
Date of issue: 29/09/22



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

Arm downwards static load test EN1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Arm downwards static load test clause 6.11, EN 1728:2012+AC:2013

Test results:

Vertical force N	Number of applications	Remarks
750	5	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

335330 / 6

Revision: 0
Date of sample receipt: 12/09/22
Date of test: 13/09/22
Date of issue: 29/09/22



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

Arm sideways static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Arm sideways static load test clause 6.10, EN 1728:2012+AC:2013

Test results:

Horizontal force N	Number of applications	Remarks
400	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

335330 / 7

Revision: 0
Date of sample receipt: 12/09/22
Date of test: 13/09/22
Date of issue: 29/09/22



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

Seat and back fatigue test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat and back fatigue test, clause 6.17, EN 1728:2012+AC:2013

Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	300	100.000	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

335330 / 8

Revision: 0
Date of sample receipt: 12/09/22
Date of test: 21/09/22
Date of issue: 29/09/22



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

Seat front edge durability test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat front edge durability test clause 6.18, EN 1728:2012+AC:2013

Test results:

Points of application	Seat force N	Number of cycles	Remarks
100 mm back from the front and sides edges	800	50.000	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

335330 / 9

Revision: 0
Date of sample receipt: 12/09/22
Date of test: 26/09/22
Date of issue: 29/09/22



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

Arm fatigue test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Arm fatigue test clause 6.20, EN 1728:2012+AC:2013

Test results:

Force on arm rest N	Number of cycles	Remarks
400	30.000	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT
335330 / 10

Revision: 0
Date of sample receipt: 12/09/22
Date of test: 28/09/22
Date of issue: 29/09/22



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

Seat impact test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat impact test clause 6.24, EN 1728:2012+AC:2013

Test results:

Mass of impactor kg	Height of drop mm	Impact point	Number of drops	Remarks
25	240	seat loading point (A)	10	No defects
25	240	on the longitudinal axis, 100 mm from the front seat edge	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

335330 / 11

Revision: 0
Date of sample receipt: 12/09/22
Date of test: 29/09/22
Date of issue: 29/09/22



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

Back impact test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Back impact test clause 6.25, EN 1728:2012+AC:2013

Test results:

Angle	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

335330 / 12

Revision: 0
Date of sample receipt: 12/09/22
Date of test: 29/09/22
Date of issue: 29/09/22



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

Arm rest impact test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Arm rest impact test clause 6.26, EN 1728:2012+AC:2013

Test results:

Angle °	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

Note:

The test results comply with the requirements in clause 5 of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

335330 / 13

Revision: 0
Date of sample receipt: 12/09/22
Date of test: 29/09/22
Date of issue: 29/09/22



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

Rolling resistance of unloaded chair EN 1335-3:2009 AC:2009, clause 7.4

Rolling resistance of unloaded chair, clause 7.4

Type of castors: H
Test surface: steel floor
Test speed: 50 mm/s
Seat height: lowest position

Test results:

Measured resistance of castors N	Minimum allowed resistance N	Remarks
20,8	12	No defects

Unless otherwise specified, measurement uncertainty expanded to a confidence level of about 95% are $\pm 2,0$ N.

The measurement uncertainties stated in this document have been determined according to UNI CEI 70098-3:2016. They were estimated as expanded uncertainty obtained by multiplying the standard uncertainty by the coverage factor k corresponding to a confidence level of about 95%. Normally $k=2$.

This test report is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

335330 / 14

Revision: 0
Date of sample receipt: 12/09/22
Date of test: 29/09/22
Date of issue: 29/09/22



CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: VERSPER ARMCHAIR - SWIVEL BASE

Stability EN 1022:2018, clause 7.3

Type of chair: fixed geometry

Positioning of chair components: as specified in Table 1 of EN 1022:2018

Loads and masses according to table B1 of EN 1022:2018, annex B

Forwards overturning

Forwards overturning, clause 7.3.1 : does not overturn

Forwards overturning for seating with foot rest, clause 7.3.2 : /

Corner stability, clause 7.3.3 : /

Sideways overturning

Sideways overturning, all seating without arm rests, clause 7.3.4 : /

Seating with arm rests, clause 7.3.5.2 : does not overturn

Seating with raised side edges, clause 7.3.5.3 : /

Rearwards overturning

Rearwards overturning all seating with back rests, clause 7.3.6

Minimum force required: 142 N : does not overturn

Tilting seating, clause 7.4.2 : /

Reclining seating with leg rest, clause 7.4.3 : /

Reclining seating without leg rest, clause 7.4.4 : /

Rearwards stability test for rocking chairs, clause 7.4.5 : /

The test results comply with the requirements in clause 7.2 of EN 1022:2018.

This test report is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

VESPER

cerantola 

Swivel base chair on wheels (with hard or soft tread), equipped with a gas column for height adjustment, which can be operated using a special lever under the seat.

VESPER USE INSTRUCTION

In order to guarantee the product solidity and duration, we suggest to:

- Before use make sure of the product's correct assembly.
- Do not remove any components from the chair manually or by using tools.
- Presence of gas column: only trained personnel can proceed with its replacement and / or maintenance.
- Do not swing the chair while using.
- Do not sit on the backrest.
- Do not stand on your feet or your knee on the chair.
- Avoid any contact with heat sources.
- The chair is not suitable for outdoor use, even if covered.
- Chairs must be moved grabbing it from the backrest.
- To use the chair on linoleum floors or floors covered with carpet or rugs, we recommend the use of rigid wheels; for hard stone, wood or tile floors we recommend the use of soft wheels.
- The seat height can be adjusted by the lever under the seat.

MAINTENANCE ADVICES

- In case of liquid reversal on the chair surface clear immediately by using a clean and dry cloth;
- For plastic parts use only mild soap;
- For metal parts use only water, no soap
- Avoid mandatory the use of chemical solvent or detergent because they might alter the esthetical and physical characteristics of the product

EXPECTED USE

- WAITING ROOMS
- CONFERENCE ROOMS
- MEETING ROOMS

CERANTOLA SPA

Seduta su base girevole a cinque razze su ruote (con battistrada duro o morbido), dotata di colonna a gas per la regolazione dell'altezza, attuabile tramite apposita leva posta sotto il sedile.

ISTRUZIONI D'USO SEDIA VESPER

Al fine di garantire la stabilità e la durata nel tempo dell'articolo, si consiglia di:

- Prima dell'uso assicurarsi che l'articolo sia assemblato correttamente.
- Non rimuovere alcun componente della sedia manualmente o tramite l'utilizzo di utensili.
- Presenza di colonna a gas: solamente personale addestrato può procedere con la sua sostituzione e/o manutenzione.
- Non fare oscillare il prodotto durante l'utilizzo.
- Non sedersi sulla spalliera.
- Non salire con i piedi e/o con le ginocchia sulla sedia.
- Evitare il contatto con fonti di calore.
- Il prodotto non è adatto ad uso esterno, anche se coperto.
- Le sedie vanno movimentate dallo schienale.
- Per l'utilizzo della sedia su pavimenti in linoleum o ricoperti da moquette o tappeti si consiglia l'uso di ruote rigide; per pavimenti in pietra dura, legno o piastrelle si consiglia l'uso di ruote morbide.
- L'altezza del sedile può essere regolata usando l'apposita leva posta sotto il sedile.

CONSIGLI DI MANUTENZIONE

- I liquidi rovesciati devono essere assorbiti immediatamente con un panno pulito ed asciutto.
- Per le parti in plastica utilizzare sapone neutro.
- Per le parti in metallo non usare detergenti ma solo acqua.
- EVITARE TASSATIVAMENTE l'uso di solventi o di detergenti chimici, poiché potrebbero alterare le caratteristiche estetiche e fisiche dell'articolo.

USO PREVISTO

- Seduta per sale d'attesa
- Seduta per sale conferenza
- Seduta per sale riunioni