


# Declaration of conformity

n° 11218 / 2014

According to the results of the following tests:

EN 16139 test report n. 176283- 1/2014  
EN 16139 test report n. 176283- 2/2014  
EN 1728 test report n. 176283- 3/2014  
EN 1728 test report n. 176283- 4/2014  
EN 1728 test report n. 176283- 5/2014  
EN 1728 test report n. 176283- 6/2014  
EN 1728 test report n. 176283- 7/2014  
EN 1728 test report n. 176283- 8/2014  
EN 1728 test report n. 176283- 9/2014  
EN 1728 test report n. 176283-10/2014  
EN 1022 test report n. 176283-11/2014

we hereby testify that




## VESPER 1 CHAIR

of company

CERANTOLA S.P.A. - VIA GIORGIONE 2-ZONA IND.LE - 31037 RAMON DI LORIA (TV)

complies with the strenght, durability and safety requirements  
of 1<sup>st</sup> level of EN 16139:2013

*This document is validated by digital signature and time stamping in accordance  
with the Italian laws and the European Directives which regulate the electronic  
signature systems.*

  
dot. Andrea Giavon

May 29th, 2014

Sample name is declared by the company who asked for the test. This report relates to the samples submitted for the test and no others. Additions, deletions or alterations are not permitted.

Date received: 06/05/14

Date of issue: 29/05/14

Report consists of 11 test reports.

Defects before testing: None

Sample name: VESPER 1 CHAIR


CERANTOLA S.P.A.  
VIA GIORGIONE 2-ZONA IND.LE  
31037 RAMON DI LORIA (TV)  
ITALIA

## SAMPLE N° 176283

Overall dimensions: 480 x 540 x 810 (h) mm

### List performed tests:

1. Safety requirements EN 16139:2013
2. Information for use EN 16139:2013
3. Seat and back static load test EN 1728:2012
4. Vertical load on back rest EN 1728:2012
5. Seat and back fatigue test EN 1728:2012
6. Seat front edge durability test EN 1728:2012
7. Leg forward static load test EN 1728:2012
8. Leg sideways static load test EN 1728:2012
9. Seat impact test EN 1728:2012
10. Back impact test EN 1728:2012
11. Stability - EN 1022:2005



*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

## SAMPLE N° 176283


Date of issue: 29/05/14  
Sample weight: Not determined  
Sample name: VESPER 1 CHAIR



Side view



Rear view



Bottom view


The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

# TEST REPORT

176283 / 1

Date received: 06/05/14  
Date of test: 12/05/14  
Date of issue: 29/05/14

Sample name: VESPER 1 CHAIR



CERANTOLA S.P.A.  
VIA GIORGIONE 2-ZONA IND.LE  
31037 RAMON DI LORIA (TV)  
ITALIA

## Safety requirements EN 16139:2013

### Safety requirements clause 4

Statement checked	Remarks
Corner and edges in contact with the users: • Absence of sharp edges and corners	Yes
Edges on the handles: • Absence of sharp edges and corners in the direction of the force	Handles not present
Other edges: • Absence of corners	Yes
Accessible hollow components: • The ends of hollow components are closed or capped	Yes
Movable and adjustable parts: • It shall not possible for any movable and adjustable part of the chair to come operate unintentionally.	Movable and adjustable parts not present
Connections between parts of the structure: • It shall not possible for any load bearing part of the seating to come loose unintentionally	No
Parts wich are lubricated: • All the parts wich are lubricated shall be designed to protect users	Lubricated parts not present
Shear and squeeze points between movable parts $\geq 7 \text{ mm} \leq 18 \text{ mm}$ : • Shear and squeeze points under influence of powered mechanism • Shear and squeeze points during normal use and during normal movements and actions	Mechanism not present No
Conformity to clauses 4.1 and 4.2 of standard EN 16139:2013:	YES

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

*Managing Director*  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo e laboratori prove  
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.  
Iscr. Reg. Imprese Udine  
nr. iscr. C.F. 01818850305  
Reg. Impr. UD 20663  
P. IVA : 01818850305  
C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3  
33048 S. Giovanni al Nat. UD  
Tel. 0432.747211 r.a.  
Fax 0432.747250  
http://www.catas.com  
e-mail: lab@catas.com

Filiale:  
Via Braille, 5  
20851 Lissone MB  
Tel. 039.464567  
Fax 039.464565  
e-mail: lissone@catas.com



LAB N° 0027  
Membro degli Accordi di Mutuo Riconoscimento  
EA-IAF e ILAC

## TEST REPORT

### 176283 / 2

Date received: 06/05/14

Date of test: 22/05/14

Date of issue: 29/05/14

Sample name: VESPER 1 CHAIR



CERANTOLA S.P.A.  
VIA GIORGIONE 2-ZONA IND.LE  
31037 RAMON DI LORIA (TV)  
ITALIA

## Information for use EN 16139:2013

### Information for use clause 7

Statement checked	Remarks
Information for use in the language of the country in which the chair will be delivered to the end user	Italian language
Information regarding the intended use (Annex B of EN 16139:2013)	Present
Instruction for operating the adjusting mechanisms, where applicable	Not applicable
Assembly instructions, where applicable	Not applicable
Instruction for the care and the maintenance of the chair	Present
Information on the choice of castors in relation to the floor surface if the chair is fitted	Castors not present
Advice that only trained personnel may replace or repair seat height adjustment components with energy accumulators if the chair is fitted	Seat height adjustment not present

Conformity to clause 7 of standard EN 16139:2013:

YES

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director  
Dr. Andrea Glavón

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

pag. 1/1

# TEST REPORT


176283 / 3

Date received: 06/05/14

Date of test: 12/05/14

Date of issue: 29/05/14

Sample name: VESPER 1 CHAIR



CERANTOLA S.P.A.  
VIA GIORGIONE 2-ZONA IND.LE  
31037 RAMON DI LORIA (TV)  
ITALIA

## Seat and back static load test EN 1728:2012

Seat and back static load test, clause 6.4

Test results:

Seat load N	Back force N	Number of cycles	Remarks
1.600	560	10	No defects

Seat front edge static load, clause 6.5

Seat load N	Number of cycles	Remarks
1.300	10	No defects

Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general .

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

*Managing Director*  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

# TEST REPORT


176283 / 4

Date received: 06/05/14

Date of test: 12/05/14

Date of issue: 29/05/14

Sample name: VESPER 1 CHAIR



CERANTOLA S.P.A.  
VIA GIORGIONE 2-ZONA IND.LE  
31037 RAMON DI LORIA (TV)  
ITALIA

## Vertical load on back rest EN 1728:2012

Vertical static load on back rest clause 6.6

### Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.300	600	10	No defects

### Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo e laboratori prove  
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.  
Iscr. Reg. Imprese Udine  
nr. iscr. C.F. 01818850305  
Reg. Impr. UD 20663  
P. IVA : 01818850305  
C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3  
33048 S. Giovanni al Nat. UD  
Tel. 0432.747211 r.a.  
Fax 0432.747250  
<http://www.catas.com>  
e-mail: [lab@catas.com](mailto:lab@catas.com)

Filiale:  
Via Braille, 5  
20851 Lissone MB  
Tel. 039.464567  
Fax 039.464565  
e-mail: [lissone@catas.com](mailto:lissone@catas.com)

## TEST REPORT


### 176283 / 5

Date received: 06/05/14

Date of test: 16/05/14

Date of issue: 29/05/14

Sample name: VESPER 1 CHAIR



CERANTOLA S.P.A.  
VIA GIORGIONE 2-ZONA IND.LE  
31037 RAMON DI LORIA (TV)  
ITALIA

## Seat and back fatigue test EN 1728:2012

Seat and back fatigue test, clause 6.17

### Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	300	100.000	No defects

### Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
*Dr. Andrea Giayon*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

## TEST REPORT


**176283 / 6**

Date received: 06/05/14

Date of test: 26/05/14

Date of issue: 29/05/14

Sample name: VESPER 1 CHAIR



CERANTOLA S.P.A.  
VIA GIORGIONE 2-ZONA IND.LE  
31037 RAMON DI LORIA (TV)  
ITALIA

## Seat front edge durability test EN 1728:2012

Seat front edge durability test clause 6.18

### Test results:

Points of application	Seat force N	Number of cycles	Remarks
100 mm back from the front edge	800	50.000	No defects

### Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Graven

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo e laboratori prove  
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.  
Iscr. Reg. Imprese Udine  
nr. iscr. C.F. 01818850305  
Reg. Impr. UD 20663  
P. IVA : 01818850305  
C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3  
33048 S. Giovanni al Nat. UD  
Tel. 0432.747211 r.a.  
Fax 0432.747250  
http://www.catas.com  
e-mail: lab@catas.com


Filiale:  
Via Braille, 5  
20851 Lissone MB  
Tel. 039.464567  
Fax 039.464565  
e-mail: lissone@catas.com

## TEST REPORT

### 176283 / 7

Date received: 06/05/14  
Date of test: 29/05/14  
Date of issue: 29/05/14

Sample name: VESPER 1 CHAIR



CERANTOLA S.P.A.  
VIA GIORGIONE 2-ZONA IND.LE  
31037 RAMON DI LORIA (TV)  
ITALIA

## Leg forward static load test EN 1728:2012

Leg forward static load test clause 6.15

### Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
500	1.000	10	No defects

### Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
Dr. Andrea Grävon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo e laboratori prove  
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.  
Iscr. Reg. Imprese Udine  
nr. iscr. C.F. 01818850305  
Reg. Impr. UD 20663  
P. IVA : 01818850305  
C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3  
33048 S. Giovanni al Nat. UD  
Tel. 0432.747211 r.a.  
Fax 0432.747250  
<http://www.catas.com>  
e-mail: [lab@catas.com](mailto:lab@catas.com)


Filiale:  
Via Braille, 5  
20851 Lissone MB  
Tel. 039.464567  
Fax 039.464565  
e-mail: [lissone@catas.com](mailto:lissone@catas.com)

## TEST REPORT

### 176283 / 8

Date received: 06/05/14  
Date of test: 29/05/14  
Date of issue: 29/05/14

Sample name: VESPER 1 CHAIR



CERANTOLA S.P.A.  
VIA GIORGIONE 2-ZONA IND.LE  
31037 RAMON DI LORIA (TV)  
ITALIA

## Leg sideways static load test EN 1728:2012

Leg sideways static load test clause 6.16

### Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

### Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

Managing Director  
*Dr. Andrea Giavon...*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo e laboratori prove  
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.  
Iscr. Reg. Imprese Udine  
nr. iscr. C.F. 01818850305  
Reg. Impr. UD 20663  
P. IVA : 01818850305  
C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3  
33048 S. Giovanni al Nat. UD  
Tel. 0432.747211 r.a.  
Fax 0432.747250  
http://www.catas.com  
e-mail: lab@catas.com


Filiale:  
Via Braille, 5  
20851 Lissone MB  
Tel. 039.464567  
Fax 039.464565  
e-mail: lissone@catas.com

## TEST REPORT

### 176283 / 9

Date received: 06/05/14  
Date of test: 29/05/14  
Date of issue: 29/05/14

Sample name: VESPER 1 CHAIR



CERANTOLA S.P.A.  
VIA GIORGIONE 2-ZONA IND.LE  
31037 RAMON DI LORIA (TV)  
ITALIA

## Seat impact test EN 1728:2012

Seat impact test clause 6.24

### Test results:

Mass of impactor kg	Height of drop mm	Number of drops	Remarks
25	240	10	No defects

### Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

*Managing Director*  
*Dr. Andrea Givoni*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo e laboratori prove  
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.  
Iscr. Reg. Imprese Udine  
nr. iscr. C.F. 01818850305  
Reg. Impr. UD 20663  
P. IVA : 01818850305  
C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3  
33048 S. Giovanni al Nat. UD  
Tel. 0432.747211 r.a.  
Fax 0432.747250  
<http://www.catas.com>  
e-mail: [lab@catas.com](mailto:lab@catas.com)


Filiale:  
Via Braille, 5  
20851 Lissone MB  
Tel. 039.464567  
Fax 039.464565  
e-mail: [lissone@catas.com](mailto:lissone@catas.com)

## TEST REPORT

### 176283 / 10

Date received: 06/05/14  
Date of test: 29/05/14  
Date of issue: 29/05/14

Sample name: VESPER 1 CHAIR



CERANTOLA S.P.A.  
VIA GIORGIONE 2-ZONA IND.LE  
31037 RAMON DI LORIA (TV)  
ITALIA

## Back impact test EN 1728:2012

Back impact test clause 6.25

### Test results:

Angle °	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

### Note:

The test has been carried out according to table 1 of EN 16139:2013, level L1 - general.

*This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.*

*Managing Director*  
*Dr. Andrea Glavon*

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.



centro ricerche-sviluppo e laboratori prove  
settori legno-arredo, ambiente e alimenti

CATAS S.p.A.  
Iscr. Reg. Imprese Udine  
nr. iscr. C.F. 01818850305  
Reg. Impr. UD 20663  
P. IVA : 01818850305  
C.Soc. € 1.003.650,00 i.v.

Sede: Via Antica, 24/3  
33048 S. Giovanni al Nat. UD  
Tel. 0432.747211 r.a.  
Fax 0432.747250  
<http://www.catas.com>  
e-mail: [lab@catas.com](mailto:lab@catas.com)

Filiale:  
Via Braille, 5  
20851 Lissone MB  
Tel. 039.464567  
Fax 039.464565  
e-mail: [lissone@catas.com](mailto:lissone@catas.com)

## TEST REPORT


176283 / 11

Date received: 06/05/14

Date of test: 29/05/14

Date of issue: 29/05/14

Sample name: VESPER 1 CHAIR



CERANTOLA S.P.A.  
VIA GIORGIONE 2-ZONA IND.LE  
31037 RAMON DI LORIA (TV)  
ITALIA

## Stability - EN 1022:2005

Type of chair: fixed geometry

Minimum horizontal force for rearwards overturning of fixed back chair: 159 N

### Forwards overturning

Horizontal force : 20 N does not overturn

### Rearwards overturning

Fixed back chair

Horizontal force : 159 N does not overturn

### Tilting chair in the rearmost position

Loading discs on the seat : /

### Sideways overturning for chairs with arms

Horizontal force : /

### Sideways overturning for chairs without arms

Horizontal force : 20 N does not overturn

### Forwards overturning for chairs with footrest

Horizontal force : /


Test passed

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director  
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

pag. 1/1



31037 RAMON DI LORIA (TV) ITALY - Via Giorgione, 2 (z.i.)  
Tel: +39.0423.755013 - Fax: +39.0423.755152 - R.E.A. TV 190527  
Reg. Imp. TV n. 02143740260 - C. Id. IVA CEE n. IT 02143740260  
Cap. Soc. € 120.000,00 i.v. - E-mail: info@cerantola.com  
Web site: www.cerantola.com

## **ISTRUZIONI D'USO SEDIA VESPER CON E SENZA BRACCIOLI**

Al fine di garantire la stabilità e la durata nel tempo dell'articolo, si consiglia di:

- Prima dell'uso assicurarsi che l'articolo sia assemblato correttamente.
- Non rimuovere alcun componente della sedia manualmente o tramite l'utilizzo di utensili.
- Verificare che il prodotto venga utilizzato con la base della struttura metallica appoggiata al pavimento e che lo stesso non consenta scivolamento.
- Non fare oscillare il prodotto durante l'utilizzo.
- Non sedersi sulla spalliera o sui braccioli.
- Non salire con i piedi e/o con le ginocchia sulla sedia
- Per spostare l'articolo, evitare il trascinamento.
- Evitare il contatto con fonti di calore.
- Il prodotto non è adatto ad uso esterno, anche se coperto, con struttura cromata.
- Si possono impilare 6 sedie.
- Le sedie vanno movimentate dallo schienale o dai braccioli.
- 


## **CONSIGLI DI MANUTENZIONE**

- I liquidi rovesciati devono essere assorbiti immediatamente con un panno pulito ed asciutto.
- Per le parti in plastica utilizzare sapone neutro.
- Per le parti in metallo non usare detergenti ma solo acqua.
- EVITARE TASSATIVAMENTE l'uso di solventi o di detergenti chimici, poiché potrebbero alterare le caratteristiche estetiche e fisiche dell'articolo.

## **USO PREVISTO**

- Seduta per casa / ufficio
- Seduta per sale attesa
- Seduta per comunità/scuole
- Seduta per ristorazione

**CERANTOLA SPA**



31037 RAMON DI LORIA (TV) ITALY - Via Giorgione, 2 (z.i.)  
Tel: +39.0423.755013 - Fax: +39.0423.755152 - R.E.A. TV 190527  
Reg. Imp. TV n. 02143740260 - C.Id. IVA CEE n. IT 02143740260  
Cap. Soc. € 120.000,00 i.v. - E-mail: info@cerantola.com  
Web site: www.cerantola.com

## **USE INSTRUCTIONS OF VESPER CHAIR WITH AND WITHOUT ARMS**

In order to guarantee the product's stability and duration, we recommend to:

- Before using make sure of the product's correct assembly;
- Do not remove any chair's component manually or using utensils;
- Verify that the base of the metallic structure is completely leant on the floor and the floor does not allow any sliding of the chair;
- Do not swing the chair during the same;
- Do not sit on the backrest or arms;
- Do not stand on your feet and/or knees on the chair;
- Do not drag the chair, while moving it;
- Avoid the contact with heat sources;
- The product is not suitable for outdoor use, even if it's covered, with chrome structure;
- Stackable till 6 chairs;
- Chairs must be moved from the backrest or the arms.

## **MAINTENANCE ADVICE**

- Spilled liquids must be immediately absorbed with a clean and dry cloth;
- For plastic parts use mild soap;
- Do not use chemical detergents for metallic parts, but just water
- AVOID MANDATORY the use of chemical solvents or detergents because they might alter the aesthetic and physic characteristic of the product.

## **EXPECTED USE**

- Home / Office
- Waiting rooms
- Hospitality rooms / Schools
- Restaurants / Bars

**Cerantola Spa**