

# Ta Alto

design by Jeremiah Ferrarese

COLOS



The TA 2 - 2Q tall metal table is an immediately recognizable piece thanks to the distinctive design of the tubular steel frame, especially the base.

The table top, which is ideal for outdoor use, comes in a square version, in addition to the round, so that a number of tables can be pushed together. The table goes perfectly with tall stools, or can be used for bars and reception areas where there is no need for seating.

The top folds easily for horizontal stacking, thus allowing for the most efficient use of space as needs dictate.

Another distinguishing trait of this designer table for bars and restaurants is its range of options: the frame comes in six different colours.

The collection also includes standard-height tables in the same design.



## Jeremiah Ferrarese

A native of Padua, Jeremiah Ferrarese graduated from IUAV, the Venice School of Architecture, in 2006. Since 2005, he has collaborated with Venetian architect Paolo Scagnellato, who sparked his interest in industrial design.

In little over a decade, Ferrarese's designs have racked up awards and acclaim, both in Italy and internationally.

"Every project entails hard work, method and respect for history, although it inevitably all starts with a light-bulb moment. Familiarity with the materials and the technique required means the idea can then be turned into tangible, reproducible products."

[www.jeremiahferrarese.com](http://www.jeremiahferrarese.com)



## Compositions

Foldable table completely made of steel, top in steel plate and frame in steel tube with 35 mm diameter. Zinc-coated and powder coated with polyester.  
Horizontally stackable without a limit.


## Certifications



## Dimensions



## Powder-coated metal colours



White  
NCS 0500 - N



Senf  
NCS 2070 - Y10R



Aubergine  
NCS 5540 - Y90R



Torrente  
NCS S 3005-G50



Dark Green  
NCS 8010 - G10Y



Dark Grey  
NCS 7500 - N



Black  
NCS 9000 - N

## Use and maintenance

**STEEL** — Iron and carbon alloy with carbon percentage lower than 2% treated to resist atmospheric agents.

**MAINTENANCE** — To keep the product in good condition for a long time, we recommend storing it during the winter in closed and dry places in order to avoid condensation. Before the winter season and on a quarterly basis, if the products are stored near the sea, it is recommended to clean the metal surfaces with a soft cloth using water or detergents and protect them with vaseline oil or car wax.

**ALUMINUM** — Aluminum alloys, particularly suitable for cold working and for die casting, treated appropriately to resist atmospheric agents and powder coated.

**MAINTENANCE** — To keep the product in good condition for a long time, we recommend a correct periodic cleaning, particularly frequent in places characterized by high humidity and marine climate. It is recommended to clean the surfaces with a soft cloth using water or neutral detergents. Prolonged and uninterrupted exposure to intense UV radiation or very cold temperatures can affect the initial characteristics of the colored aesthetic coating made of polyester. We recommend cleaning and storing products in sheltered places during prolonged periods of non-use and in winter.

**HPL** — Self-supporting material suitable for exposure to the external environment. It consists of layers of Kraft paper impregnated with phenolic resins and a decorative surface layer impregnated with thermosetting resins. These layers are pressed at 9Mp and at a temperature of 150 degrees centigrade.

**MAINTENANCE** — The HPL laminate is easy to clean and does not require any particular maintenance. Most stains can be washed with water only and dried with soft, clean cloths. For persistent stains, use a sponge and a specific laminate cleaner, or glass cleaner. Then remove the traces of these products with a dry cloth to avoid streaks or opacification. We always recommend trying any product in an inconspicuous corner. Avoid using steel scouring pads, products containing abrasive creams, washing powder and acetone.

**PLASTIC MATERIALS** — Plastic surfaces should generally be cleaned with a damp and soft cloth soaked in water, the use of dry cloths which with rubbing could electrostatically charge the plastic surface attracting dust is not recommended.

For stubborn stains, neutral liquid soap can be diluted in water in moderation. Absolutely avoid the use of acetone, trichlorethylene, ammonia, or detergents that contain even a small amount of these detergents because they can dull the

shine of the surfaces. Absolutely avoid all abrasive substances, such as powder detergents, abrasive pastes, scouring pads or rough sponges. Avoid dragging objects that can scratch the material onto surfaces. Remember also that plastic materials cannot withstand sources of direct heat on the surface, such as direct contact with pots and pans.

**WOOD** — Clean with a damp and soft cloth soaked in warm water. Always dry after cleaning. Immediately remove any liquid substances or other residues to avoid absorption. The wooden surfaces, being the same a natural material, could undergo color changes with use and over time. Remember that woods cannot withstand direct heat sources on the surface. Long-lasting exposure could alter its coloring.

## WARNINGS

Avoid the following improper uses: stand on the product, sit on the back, on the armrests, on the edge of the tables, use the product as a ladder. Do not disperse the product in the environment, but call the companies responsible for the disposal of solid urban waste for transport to landfills and recovery. The table tops in sheet metal / iron are made with a slight deviation of planarity downwards to prevent a "spring effect" from being created during use.