

Report ID: 352388
Date of sample receipt: 05/07/23
Date of issue: 13/07/23

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Sample name: LORIA 01 4 LEGS PLASTIC

SAMPLE N° 352388

Overall dimensions: 450 x 510 x 790 (h) mm

List of test reports:

1. Leg strength test-Front application ANSI-BIFMA X5.1-2017/17(2022)
2. Leg strength test- Side application ANSI-BIFMA X5.1-2017/17(2022)



This document is part of a PDF file digitally signed by Franco Bulian.

*The managing director
Dr. Franco Bulian*
[Signature]

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

SAMPLE N° 352388

Date of issue: 13/07/23
Sample weight: Not determined
Sample name: LORIA 01 4 LEGS PLASTIC



Side view



Rear view



Bottom view

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

352388 / 1

Revision: 0
Date of sample receipt: 05/07/23
Date of test: 12/07/23
Date of issue: 13/07/23



Sample name: LORIA 01 4 LEGS PLASTIC

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Leg strength test-Front application ANSI-BIFMA X5.1-2017/17(2022)

Type of chair: Type III

Test results:

Leg	Applied load N	Time of application minutes	Remarks
Right leg	334	1	No defects
Left leg	334	1	No defects

Leg	Applied load N	Time of application minutes	Remarks
Right leg	503	1	No defects
Left leg	503	1	No defects

The test results comply with the requirements in clause 17.5 of ANSI-BIFMA X5.1-2017(2022).

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

352388 / 2

Revision: 0
Date of sample receipt: 05/07/23
Date of test: 12/07/23
Date of issue: 13/07/23



Sample name: LORIA 01 4 LEGS PLASTIC

CERANTOLA S.P.A.
VIA GIORGIONE 2-ZONA IND.LE
31037 RAMON DI LORIA (TV)
ITALIA

Leg strength test- Side application ANSI-BIFMA X5.1-2017/17(2022)

Type of chair: Type III

Test results:

Leg	Applied load N	Time of application minutes	Remarks
Front leg	334	1	No defects
Rear leg	334	1	No defects

Leg	Applied load N	Time of application minutes	Remarks
Front leg	503	1	No defects
Rear leg	503	1	No defects

The test results comply with the requirements in clause 17.5 of ANSI-BIFMA X5.1-2017(2022).

This test report is part of a PDF file digitally signed by Franco Bulian.

The managing director
Dr. Franco Bulian

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.